



Office of the President of the Philippines
Office of the Presidential Adviser on Peace, Reconciliation and Unity
7th Floor, Agustin 1 Building, F. Ortigas Jr. Road, Ortigas Center, 1605 Pasig City Tel (+632) 636-0701 Fax No: (+632) 638-2216

**INVITATION TO BID FOR THE PROCUREMENT OF EQUIPMENT
FOR THE OPERATION OF THE CAB IMPLEMENTATION OFFICE
AND JNC SECRETARIAT**

1. The Office of the Presidential Adviser on Peace Reconciliation and Unity (OPAPRU), intends to apply the sum of **One Million Two Hundred Thousand Pesos (PhP1,200,000.00)** being the ABC for the **Procurement of Equipment for the Operation of the CAB Implementation Office and JNC Secretariat**. Bids received in excess of the ABC shall be automatically rejected at bid opening.

LOT NO.	QUANTITY	UNIT	ITEMS
Lot PHP800,000.00	1	Piece	Server
Lot 2 PHP400,000.00	2	Pieces	GIS Capable Laptop
	1	Piece	DSLR Camera
	1	Set	VTC Equipment
	1	Piece	65" Smart TV

2. The OPAPRU encourages the submission of bids for the Procurement Project. The delivery date of the goods shall be made on the date indicated in the Notice to Proceed. Interested bidders should have completed, within five (5) years from the date of submission and receipt of bids, a contract similar to the Procurement Project. The description of an eligible bidder is contained in the Bidding Documents, particularly, in Section II (Instructions to Bidders) thereof.
3. Bidding will be conducted through open competitive bidding procedures using a **non-discretionary "pass/fail" criterion** as specified in the 2016 revised Implementing Rules and Regulations (IRR) of Republic Act (RA) No. 9184.

Bidding is restricted to Filipino citizens/sole proprietorships, partnerships, or organizations with at least sixty percent (60%) interest or outstanding capital stock belonging to citizens of the Philippines, and to citizens or organizations of a country the laws or regulations of which grant similar rights or privileges to Filipino citizens, pursuant to RA No. 5183.

4. Prospective Bidders may obtain further information from OPAPRU BAC Secretariat and inspect the Bidding Documents at the address given below during weekdays (Monday – Friday, except holidays) from 08:00 AM to 05:00 PM.
5. A complete set of Bidding Documents may be acquired by interested Bidders on **21 November 2022** from the given address and website(s) below and upon payment of the applicable fee for the Bidding Documents, pursuant to the latest Guidelines issued by the GPPB, in the amount of **Five Thousand Pesos (PHP5,000.00)**. The Procuring

Entity shall allow the bidder to present its proof of payment for the fees either in person, by facsimile or through electronic means.

6. The OPAPRU will hold a Pre-Bid Conference on **29 November 2022, (10:00AM)** at the Kapayapaan Conference Room, 7th Floor Agustin I Building, F. Ortigas Jr. Road, Ortigas Center, Pasig City, and/or through video conferencing or webcasting, which shall be open to prospective bidders.
7. Physical Bid Documents must be duly received by the BAC Secretariat at the office address indicated below **not later than 13 December 2022, (10:00AM). Late bids shall not be accepted.** Bid Documents submitted through electronic means shall be accepted.
8. All Bids must be accompanied by a bid security in any of the acceptable forms and in the amount stated in **ITB Clause 14.**
9. Bid opening shall be on **13 December 2022, (10:30AM).** Bids will be opened in the presence of the bidder/s representative/s who choose to attend either physically or through video conferencing or webcasting.
10. The OPAPRU reserves the right to reject any and all bids, declare a failure of bidding, or not award the contract at any time prior to the award of the contract in accordance with Sections 35.6 and 41 of the 2016 revised IRR of RA No. 9184, without thereby incurring any liability to the affected bidder or bidders.
11. For further information, please refer to:

Bids & Awards Committee Secretariat
3rd Floor Agustin I Bldg.
F.Ortigas Jr. Road, Ortigas Center, Pasig City
(02) 8636 0706 local 871

Issued on 17th day of November 2022, Pasig City.



EDIR. ANDRES S. ANGUINALDO, JR.
Chairperson
Bids & Awards Committee

TECHNICAL SPECIFICATIONS

A. PROCUREMENT PROJECT

Procurement of Equipment for the Operation of the CAB Implementation Office and JNC Secretariat.

B. APPROVED BUDGET FOR THE CONTRACT

One Million Two Hundred Thousand Pesos (PhP1,200,000.00)

C. SPECIFICATIONS

LOT NO.	QUANTITY	UNIT	TECHNICAL SPECIFICATIONS
Lot 1 PHP800,000.00	1	Piece	<p>Server</p> <p>Form Factor: 1U Rack Server Processor: 2 x 2.4GHz up to 3.2GHz, 10-Core,20-threads, 13.75MB Cache Memory: 128GB Registered Server RAM Storage: 2 x 2TB Enterprise SSD 2 x 256GB M.2 NVMe SSD Power Supply: Redundant Power Supply Raid Controller: RAID-6 Controller NIC: 4 x 1Gbe LAN Others: Rails kit included Warranty: 3 years on parts</p>
Lot 2 PHP400,000.00	2	Pieces	<p>GIS Capable Laptop</p> <p>Processor: 2.60 GHz up to 4.40 GHz, 4 Cores, 8 threads, 8 MB Cache RAM: 8GB Storage: 1TB 7200 rpm SATA HDD, 512GB SSD Graphics: up to 1.5 GHz, 4GB GDDR6 dedicated GPU Display: 15.6" FHD (1920 x 1080) 16:9, 144Hz, IPS-level</p>

			<p>Network: Wi-Fi 6 + Bluetooth Battery: 76WHrs, 4S1P, 4-cell Li-ion OS: Windows 11 Warranty: 2 years parts and labor</p>
	1	Piece	<p>DSLR Camera</p> <p>AF Modes - One-Shot AF, Servo AF AF Point Selection - Spot AF, 1-point AF, Expand AF area (above/below/left/right or around), Flexible Zone AF 1 / 2 / 3, Whole area AF AF System Points - Up to 651 AF frame zones Built-in Flash - Available Closest Focusing Distance (cm) - 0.2 / 0.66 (AF, f=18mm) 0.15 / 0.49 (MF, f=18mm) Continuous Shooting Speed (Shots Per Sec) (Up To) - Mechanical shutter & Electronic 1st curtain: 15 Electronic shutter: 23 Digital Zoom - Dimensions (Excl. Protrusions) (mm) (Approx.) - 122.5 x 87.8 x 106.8 Drive System - Leadscrew type STM Effective ISO - Stills: 100-32,000 (H:51,200) Movie: 100-12,800 HDR PQ movies: ISO 100-12,800 Effective Pixels (Megapixels)24.2 Exposure Compensation ±3 stops in 1/3-stop or 1/2-stop increments AEB: ±3 stops in 1/3-stop or 1/2-stop increments Eye Detection AF Human and Animal eye detection (All AF mode) Flash Modes E-TTL II flash metering: Evaluative (Face Priority),Evaluative, Average Focal Length (35mm Equivalent) 29-72mm Guide Number ISO 100 metres 6 Image Resolution 6000×4000 (JPEG L/RAW/C-RAW/HEIF) 3984×2656 (HEIF, JPEG M) 2976×1984 (HEIF, JPEG S1) 2400×1600 (HEIF, JPEG S2)</p>

		<p>Image Stabilizer Optical Image Stabilizer + In-body 5-axis electronic image stabilization</p> <p>LCD Monitor (Size) (Inch) 3.0</p> <p>LCD Monitor Resolutions (dots) 1.04 million</p> <p>Manual Focus Yes</p> <p>Memory Card Type Single Card Slot (SD, SDHC*, SDXC*)</p> <p>*UHS-II cards compatible</p> <p>Metering Mode</p> <p>Stills: Evaluative, Partial, Spot, Center-weighted average</p> <p>Movie: Evaluative (when faces are detected), Center-weighted average (when no faces are detected)</p> <p>Movie Format MP4</p> <p>Optical Zoom -</p> <p>Peripheral Connections USB Type-C (Hi-Speed USB (USB 2.0) equivalent, External microphone IN, HDMI micro (Type D), Remote control (N3)</p> <p>Sensor Size APS-C CMOS</p> <p>Shooting Modes A+/Special scene mode/Creative filters/Fv/P/Tv/Av/M/B/C1/C2</p> <p>Shutter Speed Range (Sec.)</p> <p>Stills:</p> <p>Mechanical / Electronic 1st-curtain: 30 - 1/4000</p> <p>Electronic shutter: 30 - 1/16000</p> <p>Movie recording:</p> <p>Auto exposure: 1/25* - 1/4000, Manual exposure: 1/8* - 1/4000</p> <p>*Varies by shooting mode and frame rate</p> <p>Silent Shutter Yes</p> <p>Still Image Format JPEG, HEIF, RAW, C-RAW</p> <p>Viewfinder Coverage (Approx.) 100%</p> <p>Viewfinder Type 0.39-inch OLED, approx. 2.36million dots</p> <p>59.94/119.88 fps Refresh Rate</p> <p>White Balance</p> <p>Auto (Ambience priority / White priority), Daylight, Shade, Cloudy (Effective in twilight and sunset), Tungsten light, White fluorescent light,</p>
--	--	--

			<p>Flash*, Custom, Color temperature setting (approx. 2500–10000 K) White balance shift and white balance bracketing features available * Flash color temperature information transmission possible (EX / EL Series Speedlite)</p> <p>X-sync (sec.)</p> <p>Mechanical shutter: 1/200</p> <p>Electronic 1st curtain: 1/250</p>
	1	Set	<p>VTC Equipment</p> <p>CAMERA</p> <p>5x HD zoom and motorized pan (+/- 25°) and tilt (+/- 15°)</p> <p>Field of view: Diagonal: 120°, Horizontal: 113°, Vertical: 80.7°</p> <p>Total Room Coverage (field of view + pan and tilt): 163° wide x 110° tall</p> <p>3 camera position presets</p> <p>auto-framing</p> <p>Video performance:</p> <p>4K Ultra HD video calling (up to 3840 x 2160 pixels @ 30 fps with customer-supplied USB 3.0 cable)</p> <p>1080p Full HD video calling (up to 1920 x 1080 pixels @ 30 fps)</p> <p>720p HD video calling (up to 1280 x 720 pixels @ 30 fps)</p> <p>MICROPHONE</p> <p>Integrated microphone with 3 beamforming elements</p> <p>Pickup Range: 4 meters</p> <p>Sensitivity: -27dB</p> <p>Microphone frequency response: 90Hz - 16kHz</p> <p>AEC (Acoustic echo cancellation)</p> <p>VAD (Voice activity detector)</p> <p>Microphone background noise suppression</p> <p>Microphone data rate: 32 kHz sampling rate</p> <p>SPEAKER</p> <p>Volume adjustable to 95 dB SPL at 1/2 meter peak</p> <p>Speaker sensitivity 86.5+/-3dB SPL at 1/2 meter</p>

			<p>Distortion: 200 Hz -300Hz < 3%, 3000 Hz -10KHz < 1%</p> <p>Warranty: 2 Years</p>
	1	Piece	<p>65" Smart TV</p> <p>Product Overview 100% Color Volume 4K Upscaling Super Ultrawide Game View Multi View</p> <p>Warranty Term Parts: 1 Year Labor: 1 Year</p> <p>Picture Resolution: 3,840 x 2,160 Color: 100% Colour Volume HDR (High Dynamic Range): HDR Picture Engine: Lite 4K One Billion Color: Yes</p> <p>Design Bezel Type: 3 Bezel-less Stand Type: SIMPLE PLUS-WIDE Slim Type: Slim look</p> <p>Smart TV & Connectivity Bluetooth: Yes (BT5.2) Multi-View: upto 2 videos Wireless Dex: Yes Ambient Mode: Ambient Mode HDMI: 3 USB: 2</p> <p>Sound Features Sound Output (RMS): 20W Speaker Type: 2CH</p> <p>Accessories Remote Controller</p> <p>Dimension & Weight Package Size (WxHxD): 1399 x 846 x 148 mm Package Weight: 21.7 kg</p> <p>Power Consumption Power Supply: 150 W</p>

			Power Consumption (Max): AC100-240V 50/60Hz Auto Power Saving: Yes Auto Power Off: Yes
--	--	--	--

A. The place of delivery will be at:

OPAPRU Ortigas Parking Area
Ruby Road, Agustin I Building
Ortigas Center, Pasig City

- B. Expected date of delivery of the goods is 15 upon issuance of NOA.
- C. Payment shall be made to the supplier or distributor within thirty (30) calendar days from complete delivery and submission of pertinent documents for payment as required under existing laws.
- D. Replacement of defective item/s shall be made within seven (7) days from receipt of the supplier or distributor of the formal written notice.
- E. The OPAPRU reserves the right to reject any and all quotations or bids, declare a failure of bidding or not award the contract in accordance with Section 41 of the IRR of RA 9184.